



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/039,313	10/27/2001	Shahram Shariff	006593-01953	2119
33375	7590	11/30/2005		
THOMPSON HINE LLP 2000 COURTHOUSE PLAZA N.E. 10 WEST SECOND STREET DAYTON, OH 45402-1758			EXAMINER BLAKE, CAROLYN T	
			ART UNIT 3724	PAPER NUMBER

DATE MAILED: 11/30/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

SP

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/039,313	SHARIFF ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	Carolyn T. Blake	3724	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 14 November 2005.  
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-4, 6-8, 10, 18, 19, 28, 29, 32 and 33 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-4, 6-8, 10, 18, 19, 28, 29, 32 and 33 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☒ The drawing(s) filed on 27 October 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date: _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                    | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

1. This action is in response to applicant's amendment received on November 14, 2005.
2. The text of those sections in Title 35, U.S. Code not included in this action can be found in a prior Office action.

#### ***Claim Rejections - 35 USC § 103***

3. Claims 1, 3, 6, 28, 29, 32, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker et al (2,573,861) in view of Glaser (6,015,328) or Lay (3,145,406) and in further view of Halberstadt et al (3,369,265).

Meeker et al discloses the invention substantially as claimed including: a gripping plate (90/112) having a front surface (shown with teeth in FIGS 1-3) and a rear surface (opposite the front in FIGS 1-3), such that the front surface is shaped to grip a good product (see FIGS 1-3, the teeth 91 grip food products); said plate including an attachment portion (93/99/101/102) extending generally outwardly from the rear surface; a handle (95) having an opening shaped to releasably receive the attachment portion; and a feed arm (80) including a pair of arm openings (see FIGS 4 and 5), a first one (FIGS 4) of said opening being shaped to be generally located between the handle and said gripping plate, a second one (FIG 5) of said openings being capable of receiving a slide rod (77) of a slicer.

Meeker et al lacks the attachment portion that includes a pair of opposed, generally laterally extending legs with feet and a handle that is shaped to receive the feet of the attachment portion such that the handle is manually decoupled by twisting

Art Unit: 3724

the handle, wherein the attachment portion being releasably received in the handle in more than two radial positions and the handle has a generally continuous outer surface and lacks any auxiliary openings that communicate with the openings of the handle.

However, Glaser and Lay both disclose that it is old and well known in the art to use elongated attachment portions with opposed laterally extending legs with feet that engage corresponding feet detents for the purpose of releasably connecting handles to cutting tools by twisting such that the handles are easily removable and replaceable (see, e.g., columns 1 and 3, lines 55-67 and 50-65, respectively). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to replace the elongated attachment bar of the Meeker et al device with the elongated opposed legs with feet that engage corresponding feet detents, as taught by Glaser or Lay, in order to provide a quick, releasable handle connection.

The handle opening of both Glaser and Lay are capable of releasably receiving their attachment portions in more than two radial positions and then twisted into their locked portions. The phrase "a handle having an. . .in more than two radial positions" does not limit the claim to a handle and attachment portion capable of being located together in more than two positions only that the opening of the handle is capable of first receiving the attachment portion in more than two radial positions. In this case, both Glaser and Lay disclose the use of circular handle openings which allow for the attachment portions to be inserted in the opening at any radial position and then twisted into position.

The outer portion of the handles of Glaser and Lay are generally continuous and lack any auxiliary openings that communicate with the opening of the handle, in that, there are no supplemental openings communicating with the opening. As to Lay, the two openings are used simultaneously and not alternatively, and when they are in use, neither communicates with the opening of the handle. As to Glaser, there are no auxiliary openings shown.

The Meeker et al combination above still fails to disclose generally inwardly tapered sidewalls. However, Halberstadt et al disclose a handle connection wherein a female member includes generally inwardly tapered sidewalls and receives a male member. See FIG 2. The taper facilitates movement of the male member into the locked position. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide generally inwardly tapered side walls, as disclosed by Halberstadt et al, on the modified Meeker et al device for the purpose of easing movement of the gripping plate into the locked position.

It should be noted that Glaser, Lay, and Halberstadt et al are considered analogous art references because they are reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention, that is, quick release handles.

As to claim 3, the modified device of Meeker et al discloses the use of teeth extending generally forwardly from the front surface. See FIGS 2, 4, and 6.

Art Unit: 3724

As to claims 6, the modified device of Meeker et al discloses the use of a connection arm (80, see FIG 1 of Meeker et al) coupled to and extending between both of the feed arm openings.

4. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker et al in view of Glaser or Lay and Halberstadt et al as applied to claim 1 above, and further in view of the Hobart Catalog of replacement parts, hereinafter Hobart, and Kondo et al (5,622,035) or Maughan (5,607,249).

The modified device of Meeker et al discloses the invention substantially as claimed except for a wave washer located between the handle and the feed arm or between the feed arm and the gripping plate such that the handle is urged away from the plate and/or the feed arm.

The modified Meeker et al device does teach the need for a spring to urge the handle away from the connection site such that the opposite feet are frictionally engaged with the feet detents. Hobart discloses it is old and well known in the art to use washers between feed arms and handles for the purpose of facilitating the attachment between the handle and the feed arm. Kondo et al and Maughan both disclose it is old and well known in the art to use wave washers for the purpose of urging two attached elements away from each other such that the connection is facilitated. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use a wave washer between the feed arm and the handle of the modified device of Meeker et al in order to urge the feed arm and handle away from each other such that the opposed feet of the attachment portion are

Art Unit: 3724

frictionally engaged with the feed detents, thereby facilitating the connection between the handle and attachment portion.

5. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker et al in view of Glaser or Lay and Halberstadt et al as applied to claim 1 and 3 above, and further in view of the following.

The modified device of Meeker et al discloses the invention substantially as claimed except for the specific teeth length between about 0.35 inches and about 0.40 inches and for the specific tip diameter between about 0.05 inches to about 0.15 inches. It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the teeth between 0.35 and 0.40 inches as well as making the tip diameter between 0.05 and 0.15 inches for the purpose of facilitating gripping of a food product depending upon the type of food product being cut, because it has been held that where the generally conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill and because such a modification would have involved a mere change in size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art.

6. Claims 7, 8, 18, and 19 rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker et al in view of Glaser and Halberstadt et al as applied to claim 1 above, and further in view of the following.

The modified device of Meeker et al discloses the invention substantially as claimed including the attachment portion including a pair of spaced generally parallel

legs (17) coupled to one of the feet (16), the opening of the handle includes a pair of opposed end openings (see FIG 3D) shaped to receive the feet.

As to claim 8, the modified device of Meeker et al discloses the use of feet that extend generally outwardly from its associated leg and includes a curved outer surface. In the alternative, even if it is argued that the modified device of Meeker et al lacks the curved outer surface, at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to use feet with curved outer surfaces for the purpose of facilitating engagement of the feet with the opening in the handle because Applicant has not disclosed the curved outer surface provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with either outer surface of the feet because both outer surfaces of the feet would perform the same function of allowing the engagement and disengagement of the feet with the handle openings. Therefore, it would have been an obvious matter of design choice to modify the modified device of Meeker et al to obtain the invention as specified in claim 8.

As to claim 18, the handle is generally tube shaped.

As to claims 19, the modified device of Meeker et al discloses the use of cam surfaces (see 18-19 of Glaser (located and configured to interact with the feet wherein the feet are capable of being urged inwardly.

7. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Meeker et al in view of Glaser or Lay.



Art Unit: 3724

The modified device of Meeker et al, as fully explained in the rejection to claim 1, discloses the invention substantially as claimed except for the second one of the feed arm openings contributing at least 50 percent of the weight of the feed grip. It would have been an obvious to one of ordinary skill in the art at the time the invention was made to make the second feed arm opening with at least 50 percent of the weight of the feed grip in order to ease rotating the feed grip by reducing the amount of weight the user would need to lift, because it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art.

### ***Conclusion***

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Bedford, Jr. (2,672,764) discloses laterally extending feet and a tapered sidewall.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carolyn T. Blake whose telephone number is (571) 272-4503. The examiner can normally be reached on Monday to Friday, 8:00 AM to 5:30 PM, alternating Fri off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Allan N. Shoap can be reached on (571) 272-4514. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Art Unit: 3724

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CB

CB

November 28, 2005



**Allan N. Shoap**  
**Supervisory Patent Examiner**  
**Group 3700**